NSN 5950-00-405-5093

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-405-5093
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
8.250 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
7.500 inches single mounting facility single center group
Inductance Type:
Fixed
Inductance Rating:
4.00 henry single component single winding
Frequency Rating:
360.0 hertz single component
Body Length:
13.560 inches
Body Width:
10.250 inches
Body Height:
9.500 inches
Winding Quantity:
1 single component
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Thready Qty Per Inch (tpi):
16 single group
Thread Size:
0.375 inches single group
Winding Operating Current:
2.0 amperes dc single component single winding
Dc Resistance Rating In Ohms:
28.000 single component single winding
Test Data Document:
08440-510-7005 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
2 standoff, solder lug

N/a

Shelf Life:

NSN 5950-00-405-5093

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0