

View Online at <https://aerobasegroup.com/nsn/5950-00-407-6950>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.195 inches single mounting facility single center group and 2.205 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.445 inches single mounting facility single center group and 1.455 inches single mounting facility single center group

Mounting Hole Diameter:

0.137 inches single group and 0.144 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

2.500 inches

Body Width:

1.750 inches

Body Height:

1.360 inches

End Application:

Velocity pool reparable piece parts; aircraft, tomcat f-14

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

2.5 amperes dc single component single secondary

Criticality Code Justification:

Feat

Winding Operating Voltage:

40.00 ac volts single component single secondary

Special Features:

Weapon system essential

Terminal Type And Quantity:

7 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0