## NSN 5950-00-409-4253

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-409-4253

| Reliability | Indicator: |
|-------------|------------|
|-------------|------------|

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.438 inches single mounting facility single center group

**Overall Height:** 

5.062 inches

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

**Winding Shielding Method:** 

Internally shielded single component

**Body Length:** 

3.938 inches

**Body Width:** 

3.375 inches

**Body Height:** 

4.312 inches

**Maximum Operating Temp:** 

105.0 degrees celsius

**Inclosure Type:** 

Fully enclosed

**Mounting Facility Quantity:** 

4 single group

**Mounting Method:** 

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

**Thread Size:** 

0.190 inches single group

**Winding Operating Current:** 

2.1 amperes ac single component single secondary

**Winding Operating Voltage:** 

87.50 ac volts single component single secondary115.00 ac volts single component single primary

**Thread Series Designator:** 

Unf single group

**Terminal Type And Quantity:** 

4 solder stud

Shelf Life:

N/a

## NSN 5950-00-409-4253

Power Transformer - Page 2 of 2



| ш | ın | 10 | <i>(</i> )+ | Measure: |  |
|---|----|----|-------------|----------|--|
|   |    |    |             |          |  |

--

Demilitarization:

No

Fiig:

A058b0