

View Online at <https://aerobasegroup.com/nsn/5950-00-410-5142>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.960 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.640 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Wye-wye

Maximum Transformer Power Rating:

381.9 volt-ampere single component

Body Length:

3.550 inches

Body Width:

2.200 inches

Body Height:

2.950 inches

Maximum Operating Temp:

170.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

80.0 milliamperes ac single component single secondary

Winding Operating Voltage:

2.76 ac kilovolts single component single secondary 115.00 ac volts single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

6 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0