

View Online at <https://aerobasegroup.com/nsn/5950-00-410-5143>

Reliability Indicator:

Not established

Overall Length:

1.900 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.210 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.984 inches single mounting facility single center group

Overall Height:

1.850 inches

Overall Width:

1.800 inches

Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internally shielded single component

Maximum Operating Temp:

105.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

1.0 amperes ac single component single secondary

Winding Operating Voltage:

200.00 ac volts single component single primary 10.20 ac volts single component single secondary and 26.00 ac volts single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

5 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0