NSN 5950-00-410-8893

Power Transformer - Page 1 of 2

Reliability Indicator:

Frequency Rating:

400.0 hertz single component Input-output Phase Relationship:

Thread Series Designator:

Unc single group

Not established



View Online at https://aerobasegroup.com/nsn/5950-00-410-8893

3.125 inches single mounting facility single center group

2.000 inches single mounting facility single center group

Three phase to three phase single component **Transformer Winding Connection Type:**

Center To Center Distance Between Mounting Facilities Parallel To Length:

Center To Center Distance Between Mounting Facilities Parallel To Width:

Delta-wye	
Body Length:	
3.810 inches	
Body Width:	
3.000 inches	
Body Height:	
2.400 inches	
Maximum Operating Temp:	
155.0 degrees celsius	
End Application:	
788/7-17	
Inclosure Type:	
Fully enclosed	
Mounting Facility Quantity:	
4 single group	
Mounting Method:	
Threaded hole single group	
Winding Function And Quantity:	
1 primary single component and 5 secondary single component	
Thready Qty Per Inch (tpi):	
32 single group	
Thread Size:	
0.138 inches single group	
Winding Operating Current:	
199.0 amperes ac single component single primary	
Winding Operating Voltage:	
115.00 ac pounds per hour wet single component single primary	
Special Features:	
657298	

NSN 5950-00-410-8893

Power Transformer - Page 2 of 2



Terminal Type A	nd Quantity:
-----------------	--------------

18 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0