

View Online at <https://aerobasegroup.com/nsn/5950-00-420-3642>

Reliability Indicator:

Not establishednot established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.812 inches single mounting facility single center group2.812 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.125 inches single mounting facility single center group2.125 inches single mounting facility single center group

Mounting Slot Width:

0.188 inches single group0.188 inches single group

Frequency Rating:

50.0 hertz single component and 50.0 hertz single component and 60.0 hertz single component60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single componentsingle phase to single phase single component

Body Length:

3.375 inches 3.375 inches

Body Width:

2.750 inches 2.750 inches

Body Height:

2.812 inches 2.812 inches

Inclosure Type:

Fully enclosedfully enclosed

Mounting Facility Quantity:

4 single group4 single group

Mounting Method:

Flange single group and flange single group and slot single groupslot single group

Winding Function And Quantity:

1 primary single component and 1 primary single component and 1 secondary single component1 secondary single component

Winding Operating Current:

2.5 amperes ac single component single secondary

Winding Operating Voltage:

208.00 ac volts single component single primary and 24.00 ac volts single component single secondary230.00 ac volts single component single primary

Terminal Type And Quantity:

5 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0