# NSN 5950-00-421-2551

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-421-2551

# **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

2.125 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

1.750 inches single mounting facility single center group

### **Overall Height:**

4.225 inches

#### **Frequency Rating:**

150.0 hertz single component and 500.0 hertz single component

### Input-output Phase Relationship:

Single phase to single phase single component

### Winding Shielding Method:

Internal shield brought out to terminal single component

### **Body Length:**

# 2.780 inches

**Body Width:** 

2.410 inches

## Body Height:

3.850 inches

#### Inclosure Type:

Hermetically sealed

## Mounting Facility Quantity:

4 single group

#### **Mounting Method:**

Threaded stud single group

## Winding Function And Quantity:

1 primary single component and 1 secondary single component

## Thready Qty Per Inch (tpi):

32 single group

#### Thread Size:

0.138 inches single group

## Winding Operating Voltage:

70.70 ac volts single component single secondary

#### **Test Data Document:**

10001-2550805 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;

excludes any specification, standard or other document that may be referenced in a basic governing drawing)

#### **Thread Series Designator:**

Unc single group

## **Terminal Type And Quantity:**

5 wire hook

#### Shelf Life:

N/a

# NSN 5950-00-421-2551

Power Transformer - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

