# NSN 5950-00-426-5768

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-426-5768

# Reliability Indicator:

Not established

### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.438 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

2.000 inches single mounting facility single center group

#### Mounting Hole Diameter:

0.151 inches single group

#### **Frequency Rating:**

400.0 hertz single component

#### Input-output Phase Relationship:

Three phase to three phase single component

#### Winding Shielding Method:

Internal shield brought out to terminal single component

#### **Body Length:**

Between 3.565 inches and 3.595 inches

#### **Body Width:**

Between 2.605 inches and 2.635 inches

#### **Body Height:**

Between 1.615 inches and 1.645 inches

# Inclosure Type:

Fully enclosed

#### Mounting Facility Quantity:

4 single group

**Mounting Method:** 

Flange single group and unthreaded hole single group

# Winding Function And Quantity:

1 primary single component and 2 secondary single component

#### Winding Operating Current:

84.0 milliamperes dc single component 2nd secondary

#### Winding Operating Voltage:

200.00 ac pounds per hour wet single component single primary

# **Terminal Type And Quantity:**

10 pin

Shelf Life:

N/a

Unit Of Measure:

--

# Demilitarization:

No

Fiig:

A058b0