

View Online at <https://aerobasegroup.com/nsn/5950-00-427-1555>

Reliability Indicator:

Not established

Overall Length:

6.375 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

5.312 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

4.125 inches single mounting facility single center group

Overall Height:

5.312 inches

Overall Width:

5.750 inches

Mounting Slot Width:

0.281 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and slot single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

43.0 amperes ac single component single secondary

Winding Power Rating:

1.85 kilovolt-amperes single component single primary

Winding Operating Voltage:

18.00 ac volts single component single secondary and 43.00 ac volts single component single secondary

Terminal Type And Quantity:

7 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0