# NSN 5950-00-429-7165

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-429-7165

# **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.750 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

1.125 inches single mounting facility single center group

#### **Overall Height:**

3.437 inches

#### **Frequency Rating:**

400.0 hertz single component

#### Input-output Phase Relationship:

Three phase to three phase single component

#### **Transformer Winding Connection Type:**

Wye-wye

#### **Maximum Transformer Power Rating:**

148.2 volt-ampere single component

#### **Winding Shielding Method:**

Internal shield grounded to core single component

# **Body Length:**

3.500 inches

# **Body Width:**

1.812 inches

#### **Body Height:**

3.062 inches

#### **Inclosure Type:**

Hermetically sealed

# **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded stud single group

# **Winding Function And Quantity:**

1 primary single component and 2 secondary single component

# Thread Size:

0.164 inches single group

# **Winding Operating Current:**

286.0 milliamperes ac single component 2nd secondary

# Winding Power Rating:

19.0 volts-amperes single component 2nd secondary129.2 volts-amperes single component 1st secondary

# **Winding Operating Voltage:**

38.30 ac volts single component 2nd secondary45.80 ac volts single component 1st secondary

#### **Thread Series Designator:**

Unc single group

# NSN 5950-00-429-7165

Power Transformer - Page 2 of 2



Terminal Type And Quantity:
11 pin
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A058b0