

View Online at <https://aerobasegroup.com/nsn/5950-00-432-9281>

**Reliability Indicator:**

Not establishednot established

**Frequency Rating:**

400.0 hertz single component400.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single componentsingle phase to single phase single component

**Winding Shielding Method:**

Internal shield brought out to terminal single componentinternal shield brought out to terminal single component

**Body Length:**

1.750 inches 1.750 inches

**Body Width:**

0.812 inches 0.812 inches

**Body Height:**

1.750 inches 1.750 inches

**Inclosure Type:**

Fully enclosedfully enclosed

**Mounting Facility Quantity:**

1 single group1 single group

**Mounting Method:**

Threaded hole single groupthreaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 primary single component and 1 secondary single component1 secondary single component

**Thread Size:**

0.138 inches single group0.138 inches single group

**Winding Operating Current:**

6.0 milliamperes dc single component single secondary and 16.0 milliamperes dc single component single secondary

**Winding Operating Voltage:**

115.00 ac volts single component single primary

**Special Features:**

Secondary voltage and current have been rectified

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

6 pin

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0