NSN 5950-00-433-2451

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-433-2451 **Reliability Indicator:** Not established **Overall Length:** 3.950 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 2.750 inches single mounting facility single center group **Center To Center Distance Between Mounting Facilities Parallel To Width:** 1.031 inches single mounting facility single center group **Overall Height:** 0.780 inches **Overall Width:** 1.650 inches **Inductance Rating:** 500.00 microhenries single component all winding Frequency Rating: 150.0 kilohertz single component **Maximum Operating Temp:** 105.0 degrees celsius **Winding Quantity:** 2 single component **Inclosure Type:** Fully enclosed **Mounting Facility Quantity:** 4 single group **Mounting Method:** Threaded hole single group **Rating Method:** Electrical single component all winding **Thread Size:** 0.138 inches single group **Winding Operating Current:** 3.0 amperes dc single component all winding Dc Resistance Rating In Ohms: 0.100 single component all winding **Test Data Document:** 96214-692083 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Thread Series Designator:** Unc single group

N/a

4 turret
Shelf Life:

Terminal Type And Quantity:

NSN 5950-00-433-2451

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0