NSN 5950-00-433-2451

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-433-2451

Reliability Indicator:

Not established

Overall Length:

3.950 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.031 inches single mounting facility single center group

Overall Height:

0.780 inches

Overall Width:

1.650 inches

Inductance Rating:

500.00 microhenries single component all winding

Frequency Rating:

150.0 kilohertz single component

Maximum Operating Temp:

105.0 degrees celsius

Winding Quantity:

2 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Rating Method:

Electrical single component all winding

Thread Size:

0.138 inches single group

Winding Operating Current:

3.0 amperes dc single component all winding

Dc Resistance Rating In Ohms:

0.100 single component all winding

Test Data Document:

96214-692083 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

4 turret

Shelf Life:

N/a

NSN 5950-00-433-2451

Reactor - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A058b0

