

View Online at <https://aerobasegroup.com/nsn/5950-00-434-0618>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.500 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-wye

Body Length:

3.562 inches

Body Width:

2.062 inches

Body Height:

3.187 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

24.5 amperes ac single component single secondary

Winding Operating Voltage:

187.20 ac volts single component single primary and 197.60 ac volts single component single primary and 208.00 ac volts single component single primary and 218.40 ac volts single component single primary and 228.80 ac volts single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

21 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0