

View Online at <https://aerobasegroup.com/nsn/5950-00-443-3994>

Reliability Indicator:

Not establishednot established

Mounting Hole Diameter:

0.150 inches single group0.150 inches single group

Frequency Rating:

10.0 kilohertz single component10.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single componentsingle phase to single phase single component

Body Length:

Between 0.490 inches and 0.490 inches and 0.510 inches 0.510 inches

Body Outside Diameter:

Between 0.990 inches and 0.990 inches and 1.010 inches 1.010 inches

Maximum Operating Temp:

95.0 degrees celsius95.0 degrees celsius

Inclosure Type:

Fully enclosedfully enclosed

Mounting Facility Quantity:

1 single group1 single group

Mounting Method:

Unthreaded hole single groupunthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 primary single component and 2 secondary single component2 secondary single component

Winding Operating Current:

200.0 milliamperes dc single component 2nd secondary

Winding Operating Voltage:

12.30 ac volts single component 2nd secondary12.30 ac volts single component 2nd secondary

Terminal Type And Quantity:

9 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0