

View Online at <https://aerobasegroup.com/nsn/5950-00-445-3312>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.391 inches single mounting facility single center group and 3.438 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.453 inches single mounting facility single center group and 2.547 inches single mounting facility single center group

**Frequency Rating:**

60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to core single component

**Body Length:**

4.625 inches

**Body Width:**

3.469 inches

**Body Height:**

5.469 inches

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thread Size:**

0.250 inches single group

**Winding Operating Current:**

18.5 amperes ac single component single secondary

**Winding Operating Voltage:**

104.00 ac volts single component single primary and 6.60 ac volts single component single secondary 109.00 ac volts single component single primary and 115.00 ac volts single component single primary and 121.00 ac volts single component single primary and 127.00 ac volts single component single primary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

8 solder stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0