# NSN 5950-00-449-2812

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-449-2812

# **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

3.125 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

2.500 inches single mounting facility single center group

## Mounting Slot Width:

0.281 inches single group

### Inductance Type:

Swinging

## **Inductance Rating:**

5.00 millihenries single component single winding and 60.00 millihenries single component single winding

#### **Frequency Rating:**

800.0 hertz single component

#### **Body Length:**

4.000 inches

# Body Width:

3.375 inches

# **Body Height:**

3.750 inches

## Winding Quantity:

1 single component

#### Inclosure Type:

Partially enclosed, double shell

## **Mounting Facility Quantity:**

4 single group

## Mounting Method:

Bracket single group and slot single group

## **Rating Method:**

Electrical single component single winding

## Winding Operating Current:

500.0 milliamperes dc single component single winding and 6.5 amperes dc single component single winding

## Dc Resistance Rating In Ohms:

0.160 single component single winding

## **Terminal Type And Quantity:**

2 tab, solder lug

#### Shelf Life:

N/a

### Unit Of Measure:

---

## Demilitarization:

No

# NSN 5950-00-449-2812

Reactor - Page 2 of 2

Fiig: A058b0

