## NSN 5950-00-449-4370

Radio Frequency Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-449-4370

Reliability Indicator:
Not established
Hazardous Locations/environmental Protection:
Moisture resistant
Inductance Rating:
0.30 microhenries single component single primary input and 0.35 microhenries single component single primary input0.30 microhenries
single component single primary output and 0.35 microhenries single component single primary output
Frequency Rating:
25.0 megahertz single component
Coil Form Type:
Solid single component
Body Length:
0.185 inches
Overall Diameter:
0.315 inches
Inclosure Type:
Fully enclosed
Mounting Method:
Terminal single group
Rating Method:
Electrical single component single primary inputelectrical single component single primary output
Winding Function And Quantity:
1 primary, fixed autotransformer type single component
Winding Conductor Size:
0.02010 inches american wire gage single component single primary input0.02010 inches american wire gage single component single
primary output
Test Data Document:
15942-0154-1-3096 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
3 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A058b0