# NSN 5950-00-450-9733

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-450-9733

## **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

3.740 inches single mounting facility single center group and 3.760 inches single mounting facility single center group

## **Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.865 inches single mounting facility single center group and 2.885 inches single mounting facility single center group

#### Overall Width:

Between 2.720 inches and 2.760 inches

## **Mounting Hole Diameter:**

0.166 inches single group and 0.174 inches single group

## **Inductance Type:**

Fixed

#### **Inductance Rating:**

2.00 millihenries single component single winding

## **Body Length:**

Between 4.370 inches and 4.410 inches

## **Body Height:**

1.140 inches

# **Maximum Operating Temp:**

130.0 degrees celsius

# Winding Quantity:

2 single component

# Inclosure Type:

Hermetically sealed

# **Mounting Facility Quantity:**

4 single group

## **Mounting Method:**

Unthreaded hole single group

#### **Rating Method:**

Electrical single component single winding

# Winding Operating Current:

3.0 amperes dc single component single winding

## Dc Resistance Rating In Ohms:

0.200 single component single winding

## **Test Data Document:**

80063-sm-a-701774 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# **Terminal Type And Quantity:**

4 tab, solder lug

# Shelf Life:

N/a

## **Unit Of Measure:**

--

# NSN 5950-00-450-9733

Reactor - Page 2 of 2



em			

No

Fiig:

A058b0