

View Online at <https://aerobasegroup.com/nsn/5950-00-450-9733>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.740 inches single mounting facility single center group and 3.760 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.865 inches single mounting facility single center group and 2.885 inches single mounting facility single center group

Overall Width:

Between 2.720 inches and 2.760 inches

Mounting Hole Diameter:

0.166 inches single group and 0.174 inches single group

Inductance Type:

Fixed

Inductance Rating:

2.00 millihenries single component single winding

Body Length:

Between 4.370 inches and 4.410 inches

Body Height:

1.140 inches

Maximum Operating Temp:

130.0 degrees celsius

Winding Quantity:

2 single component

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Rating Method:

Electrical single component single winding

Winding Operating Current:

3.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

0.200 single component single winding

Test Data Document:

80063-sm-a-701774 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

4 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0