NSN 5950-00-453-5568

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-453-5568

Reliability Indicator:

Not establishednot establishednot established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.953 inches single mounting facility single center group1.953 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.953 inches single mounting facility single center group0.953 inches single mounting facility single center group

Overall Height:

4.687 inches 4.687 inches

Frequency Rating:

400.0 hertz single component400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single componentsingle phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure single componentinternal shield grounded to inclosure single component

Body Length:

2.750 inches 2.750 inches

Body Width:

1.750 inches 1.750 inches

Body Height:

4.250 inches 4.250 inches

Inclosure Type:

Hermetically sealedhermetically sealed

Mounting Facility Quantity:

4 single group4 single group

Mounting Method:

Threaded stud single groupthreaded stud single group

Winding Function And Quantity:

1 primary single component and 1 primary single component and 1 secondary single component1 secondary single component

Thready Qty Per Inch (tpi):

32 single group32 single group

Thread Size:

0.190 inches single group0.190 inches single group

Winding Operating Current:

20.0 amperes ac single component single secondary

Winding Operating Voltage:

20.70 ac volts single component single secondary120.00 ac volts single component single primary

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

5 eyelet

Shelf Life:

N/a

NSN 5950-00-453-5568

Power Transformer - Page 2 of 2



			ıre:

--

Demilitarization:

No

Fiig:

A058b0