# NSN 5950-00-456-8441

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-456-8441

## **Reliability Indicator:**

Not establishednot established

## Frequency Rating:

50.0 hertz single component and 50.0 hertz single component and 60.0 hertz single component60.0 hertz single component

## Input-output Phase Relationship:

Single phase to single phase single componentsingle phase to single phase single component

## Winding Shielding Method:

Internal shield grounded to core single componentinternal shield grounded to core single component

#### **Body Length:**

3.560 inches 3.560 inches

#### Body Width:

3.060 inches 3.060 inches

#### **Body Height:**

3.880 inches 3.880 inches

#### Inclosure Type:

Fully enclosedfully enclosed

## Mounting Facility Quantity:

4 single group4 single group

## Winding Function And Quantity:

1 primary single component and 1 primary single component and 1 secondary single component1 secondary single component

## Thready Qty Per Inch (tpi):

32 single group32 single group

## Thread Size:

0.164 inches single group0.164 inches single group

## Winding Operating Current:

1.5 amperes ac single component single secondary

## Winding Operating Voltage:

105.00 ac volts single component single primary and 35.00 ac volts single component single secondary115.00 ac volts single component single primary and 125.00 ac volts single component single primary

## Thread Series Designator:

Unc single group

## **Terminal Type And Quantity:**

6 standoff, solder lug

## Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

Fiig:

A058b0