NSN 5950-00-460-1163

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-460-1163

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.560 inches single mounting facility single center group4.560 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.310 inches single mounting facility single center group3.310 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single componentsingle phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single componentinternal shield brought out to terminal single component

Body Length:

5.560 inches 5.560 inches

Body Width:

4.310 inches 4.310 inches

Body Height:

3.680 inches 3.680 inches

Inclosure Type:

Fully enclosedfully enclosed

Mounting Facility Quantity:

4 single group4 single group

Mounting Method:

Threaded hole single groupthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 primary single component and 2 secondary single component2 secondary single component

Thready Qty Per Inch (tpi):

32 single group32 single group

Thread Size:

0.190 inches single group0.190 inches single group

Winding Operating Current:

1.5 amperes ac single component 2nd secondary

Winding Operating Voltage:

52.00 ac volts single component 2nd secondary115.00 ac volts single component 1st secondary

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

8 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 5950-00-460-1163

Power Transformer - Page 2 of 2



Fiig:

A058b0