

View Online at <https://aerobasegroup.com/nsn/5950-00-463-5496>

**Reliability Indicator:**

Not establishednot established

**Overall Length:**

3.937 inches 3.937 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.375 inches single mounting facility single center group3.375 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.500 inches single mounting facility single center group2.500 inches single mounting facility single center group

**Overall Height:**

2.375 inches 2.375 inches

**Overall Width:**

3.750 inches 3.750 inches

**Frequency Rating:**

400.0 hertz single component400.0 hertz single component

**Input-output Phase Relationship:**

Three phase to three phase single componentthree phase to three phase single component

**Transformer Winding Connection Type:**

Wye-deltawye-delta

**Maximum Operating Temp:**

130.0 degrees celsius130.0 degrees celsius

**Inclosure Type:**

Fully enclosedfully enclosed

**Mounting Facility Quantity:**

4 single group4 single group

**Mounting Method:**

Threaded stud single groupthreaded stud single group

**Winding Function And Quantity:**

1 primary single component and 1 primary single component and 4 secondary single component4 secondary single component

**Thread Size:**

0.164 inches single group

**Winding Operating Current:**

500.0 milliamperes dc single component 4th secondary

**Winding Operating Voltage:**

14.20 ac volts single component 2nd secondary200.00 ac volts single component single primary12.80 ac volts single component 4th secondary26.00 ac volts single component 3rd secondary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

16 wire hook

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0