# NSN 5950-00-465-0238

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-465-0238

#### Reliability Indicator:

Not establishednot establishednot established

#### **Mounting Hole Diameter:**

0.188 inches single group0.188 inches single group0.188 inches single group

#### Frequency Rating:

50.0 hertz single component and 50.0 hertz single component and 50.0 hertz single component and 60.0 hertz single component60.0 hertz single component60.0 hertz single component

### Input-output Phase Relationship:

Single phase to single phase single componentsingle phase to single phase single componentsingle phase to single component

#### **Body Length:**

2.500 inches 2.500 inches 2.500 inches

#### **Body Width:**

2.250 inches 2.250 inches 2.250 inches

#### **Body Height:**

3.125 inches 3.125 inches 3.125 inches

#### **Distance Between Mounting Facility Centers:**

2.375 inches single mounting facility single center group2.375 inches single mounting facility single center group2.375 inches single mounting facility single center group

#### **Inclosure Type:**

Fully enclosedfully enclosed

#### **Mounting Facility Quantity:**

2 single group2 single group2 single group

#### **Mounting Method:**

Unthreaded hole single groupunthreaded hole single groupunthreaded hole single group

# **Winding Function And Quantity:**

1 primary single component and 1 primary single component and 1 primary single component and 1 secondary single component secondary single component1 secondary single component

#### Winding Operating Current:

250.0 milliamperes ac single component single secondary

# Winding Operating Voltage:

115.00 ac volts single component single primary26.00 ac volts single component single secondary115.00 ac volts single component single primary

## **Terminal Type And Quantity:**

5 wire lead

#### Shelf Life:

N/a

## **Unit Of Measure:**

## **Demilitarization:**

No

#### Fiig:

A058b0