## NSN 5950-00-465-5089

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-465-5089

Reliability Indicator:
Not established

**Overall Length:** 

3.750 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.250 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.500 inches single mounting facility single center group

**Overall Height:** 

4.420 inches

**Mounting Hole Diameter:** 

0.123 inches single group and 0.135 inches single group

Frequency Rating:

54.0 hertz single component and 66.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

**Winding Shielding Method:** 

Internal shield grounded to core and brought out to terminal single component

**Body Length:** 

3.500 inches

**Body Width:** 

3.120 inches

Body Height:

4.170 inches

Inclosure Type:

Fully enclosed

**Mounting Facility Quantity:** 

4 single group

**Mounting Method:** 

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

**Winding Operating Current:** 

 $300.0 \ \mbox{milliamperes}$  ac  $\ \mbox{single}$  component 1st secondary

Winding Power Rating:

74.3 volts-amperes single component single primary

**Winding Operating Voltage:** 

28.70 ac pounds per hour wet single component 3rd secondary

**Terminal Type And Quantity:** 

8 eyelet and 1 wire lead w/lug

Shelf Life:

N/a

## NSN 5950-00-465-5089

Power Transformer - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A058b0