

NSN 5950-00-465-5110 Power Transformer - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5950-00-465-5110 **Reliability Indicator:** Not established **Overall Length:** 3.750 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 3.250 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 1.500 inches single mounting facility single center group

# **Overall Height:**

4.310 inches

#### **Mounting Hole Diameter:**

0.123 inches single group and 0.135 inches single group

#### Frequency Rating:

54.0 hertz single component and 66.0 hertz single component

### Input-output Phase Relationship:

Single phase to single phase single component

#### **Winding Shielding Method:**

Internal shield grounded to core and brought out to terminal single component

#### **Body Length:**

3.440 inches

## **Body Width:**

2.530 inches

#### **Body Height:**

4.060 inches

## **Inclosure Type:**

Fully enclosed

## **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Flange single group and unthreaded hole single group

## **Winding Function And Quantity:**

1 primary single component and 3 secondary single component

## **Winding Operating Current:**

200.0 milliamperes ac single component 1st secondary

#### **Winding Power Rating:**

5.7 volts-amperes single component 2nd secondary

## **Winding Operating Voltage:**

322.90 ac pounds per hour wet single component 3rd secondary

## **Terminal Type And Quantity:**

8 eyelet and 1 wire lead w/lug

## Shelf Life:

N/a

# NSN 5950-00-465-5110

Power Transformer - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

A058b0