

View Online at <https://aerobasegroup.com/nsn/5950-00-469-3495>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.990 inches single mounting facility single center group and 2.010 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.740 inches single mounting facility single center group and 1.760 inches single mounting facility single center group

Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

Input-output Phase Relationship:

Three phase to single phase single component and three phase to three phase single component

Transformer Winding Connection Type:

Wye-wye

Body Length:

2.500 inches

Body Width:

1.360 inches

Body Height:

2.800 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 5 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

3.0 milliamperes ac single component 1st secondary

Winding Power Rating:

2.38 volts-amperes single component 2nd secondary0.564 volts-amperes single component 1st secondary

Winding Operating Voltage:

59.50 ac volts single component 2nd secondary115.00 ac volts single component single primary7.70 ac volts single component 4th secondary32.00 ac volts single component 3rd secondary

Special Features:

One primary winding; 5 secondary windings

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

18 wire hook

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0