## NSN 5950-00-472-5194

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-472-5194
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.750 inches single mounting facility single center group
Frequency Rating:
380.0 hertz single component and 420.0 hertz single component
Input-output Phase Relationship:
Three phase to three phase single component
Body Length:
3.050 inches
Body Width:
1.360 inches
Body Height:
2.500 inches
Maximum Operating Temp:
105.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Winding Function And Quantity:
1 primary single component and 5 secondary single component
Thread Size:
0.138 inches single group
Winding Operating Current:
3.0 amperes dc single component 3rd secondary
Winding Operating Voltage:
8.55 ac volts single component 3rd secondary115.00 ac volts single component single primary8.90 ac volts single component 4th
secondary
Special Features:
1primary winding; five secondary windings; also secondary current listed as dc
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
19 wire hook
Shelf Life:
N/a

--

**Unit Of Measure:** 

## NSN 5950-00-472-5194

Power Transformer - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A058b0