

View Online at <https://aerobasegroup.com/nsn/5950-00-472-5194>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.750 inches single mounting facility single center group

Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Body Length:

3.050 inches

Body Width:

1.360 inches

Body Height:

2.500 inches

Maximum Operating Temp:

105.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 5 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

3.0 amperes dc single component 3rd secondary

Winding Operating Voltage:

8.55 ac volts single component 3rd secondary 115.00 ac volts single component single primary 8.90 ac volts single component 4th secondary

Special Features:

1 primary winding; five secondary windings; also secondary current listed as dc

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

19 wire hook

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A058b0