

View Online at <https://aerobasegroup.com/nsn/5950-00-476-5596>

**Reliability Indicator:**

Not establishednot established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

4.625 inches single mounting facility single center group4.625 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.500 inches single mounting facility single center group2.500 inches single mounting facility single center group

**Frequency Rating:**

47.0 hertz single component and 47.0 hertz single component and 63.0 hertz single component63.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single componentsingle phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to inclosure single componentinternal shield grounded to inclosure single component

**Body Length:**

5.250 inches 5.250 inches

**Body Width:**

3.438 inches 3.438 inches

**Body Height:**

1.453 inches 1.453 inches

**Inclosure Type:**

Hermetically sealedhermetically sealed

**Mounting Facility Quantity:**

6 single group6 single group

**Mounting Method:**

Unthreaded hole single groupunthreaded hole single group

**Winding Function And Quantity:**

2 primary single component and 2 primary single component and 1 secondary single component1 secondary single component

**Winding Operating Current:**

800.0 milliamperes ac single component single secondary

**Winding Operating Voltage:**

56.00 ac volts single component single secondary

**Terminal Type And Quantity:**

7 standoff insulator

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0