

View Online at <https://aerobasegroup.com/nsn/5950-00-477-1190>

Reliability Indicator:

Not establishednot established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.850 inches single mounting facility single center group1.850 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.300 inches single mounting facility single center group1.300 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single componentsingle phase to single phase single component

Body Length:

2.300 inches 2.300 inches

Body Width:

1.750 inches 1.750 inches

Body Height:

1.750 inches 1.750 inches

Inclosure Type:

Fully enclosedfully enclosed

Mounting Facility Quantity:

4 single group4 single group

Mounting Method:

Threaded hole single groupthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 primary single component and 1 secondary single component1 secondary single component

Thread Size:

0.138 inches single group0.138 inches single group

Winding Operating Current:

6.6 amperes dc single component single secondary

Winding Operating Voltage:

115.00 ac volts single component single primary

Precious Material And Location:

Rerminals gold

Precious Material:

Gold

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

5 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0