NSN 5950-00-478-4857

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-478-4857

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.750 inches single mounting facility single center group2.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.375 inches single mounting facility single center group2.375 inches single mounting facility single center group

Frequency Rating:

60.0 hertz single component60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single componentsingle phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure and core single componentinternal shield grounded to inclosure and core single component

Body Length:

3.500 inches 3.500 inches

Body Width:

3.031 inches 3.031 inches

Body Height:

4.812 inches 4.812 inches

Inclosure Type:

Fully enclosedfully enclosed

Mounting Facility Quantity:

4 single group4 single group

Mounting Method:

Threaded hole single groupthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 primary single component and 4 secondary single component4 secondary single component

Thready Qty Per Inch (tpi):

32 single group32 single group

Thread Size:

0.190 inches single group0.190 inches single group

Winding Operating Current:

400.0 milliamperes ac single component 3rd secondary

Winding Operating Voltage:

38.40 ac volts single component 2nd secondary22.00 ac volts single component 1st secondary

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

11 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 5950-00-478-4857

Power Transformer - Page 2 of 2

Fiig: A058b0

