# NSN 5950-00-481-1356

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-481-1356

# **Reliability Indicator:**

Not established

# Center To Center Distance Between Mounting Facilities Parallel To Length:

1.440 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

1.690 inches single mounting facility single center group

## **Overall Height:**

3.125 inches

**Overall Width:** 

2.063 inches

### **Frequency Rating:**

50.0 hertz single component or 60.0 hertz single component

### Input-output Phase Relationship:

Single phase to single phase single component

## Winding Shielding Method:

Internal shield grounded to inclosure single component

## **Body Length:**

2.313 inches

### Inclosure Type:

Fully enclosed

# **Mounting Facility Quantity:**

4 single group

## Mounting Method:

Threaded stud single group

# Winding Function And Quantity:

1 primary single component and 1 secondary single component

### Thready Qty Per Inch (tpi):

32 single group

## Thread Size:

0.138 inches single group

# Winding Operating Current:

2.0 amperes ac single component single secondary

### Winding Operating Voltage:

12.60 ac volts single component single secondary115.00 ac volts single component single primary

### Thread Series Designator:

Unc single group

## **Terminal Type And Quantity:**

5 solder stud

## Shelf Life:

N/a

### Unit Of Measure:

---

# NSN 5950-00-481-1356

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

