## NSN 5950-00-482-9582

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-482-9582

**Reliability Indicator:** 

Not established

**Overall Length:** 

Between 5.120 inches and 5.190 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.610 inches single mounting facility single center group and 4.640 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:** 

3.300 inches single mounting facility single center group and 3.340 inches single mounting facility single center group

**Overall Height:** 

7.922 inches

**Overall Width:** 

Between 4.750 inches and 4.880 inches

**Mounting Hole Diameter:** 

0.249 inches single group and 0.255 inches single group

**Frequency Rating:** 

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

**Transformer Winding Connection Type:** 

Delta-wye

Winding Shielding Method:

Internal shield brought out to terminal single component

**Body Height:** 

Between 6.435 inches and 6.625 inches

**Inclosure Type:** 

Hermetically sealed

**Mounting Facility Quantity:** 

4 single group

**Mounting Method:** 

Unthreaded hole single group

**Winding Function And Quantity:** 

1 primary single component and 2 secondary single component

**Winding Operating Current:** 

370.0 milliamperes dc single component 2nd secondary

**Winding Operating Voltage:** 

520.00 ac volts single component 1st secondary

**Special Features:** 

1 grounded stud connected to core and case

**Terminal Type And Quantity:** 

17 threaded stud

Shelf Life:

N/a

## NSN 5950-00-482-9582

Power Transformer - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A058b0