

View Online at <https://aerobasegroup.com/nsn/5950-00-484-3111>

Reliability Indicator:

Not establishednot established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.355 inches single mounting facility single center group and 3.355 inches single mounting facility single center group and 3.395 inches single mounting facility single center group3.395 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.355 inches single mounting facility single center group and 2.355 inches single mounting facility single center group and 2.395 inches single mounting facility single center group2.395 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single componentthree phase to three phase single component

Body Length:

4.500 inches 4.500 inches

Body Width:

3.340 inches 3.340 inches

Body Height:

2.060 inches 2.060 inches

Inclosure Type:

Fully enclosedfully enclosed

Mounting Facility Quantity:

4 single group4 single group

Mounting Method:

Threaded hole single groupthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 primary single component and 4 secondary single component4 secondary single component

Thread Size:

0.164 inches single group0.164 inches single group

Winding Operating Voltage:

115.00 ac volts single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

16 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0