

View Online at <https://aerobasegroup.com/nsn/5950-00-489-7397>

Reliability Indicator:

Not established

Overall Length:

4.130 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.260 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.750 inches single mounting facility single center group

Overall Height:

2.300 inches

Overall Width:

3.000 inches

Mounting Hole Diameter:

0.166 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-wye

Maximum Transformer Power Rating:

150.0 volt-ampere single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 6 secondary single component

Winding Operating Current:

60.0 milliamperes ac single component 2nd secondary

Winding Operating Voltage:

93.00 ac volts single component 2nd secondary

Special Features:

1primary winding, six secondary windings

Terminal Type And Quantity:

22 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0