

View Online at <https://aerobasegroup.com/nsn/5950-00-492-2669>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.500 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.500 inches single mounting facility single center group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to core single component

**Body Length:**

2.000 inches

**Body Width:**

2.000 inches

**Body Height:**

1.688 inches

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 2 secondary single component

**Thread Qty Per Inch (tpi):**

32 single group

**Thread Size:**

0.138 inches single group

**Winding Operating Current:**

300.0 milliamperes ac single component 1st secondary

**Winding Power Rating:**

6.0 volts-amperes single component 1st secondary 52.0 volts-amperes single component single primary 54.0 volts-amperes single component 2nd secondary

**Winding Operating Voltage:**

26.00 ac volts single component single primary and 22.00 ac volts single component 2nd secondary and 20.00 ac volts single component 1st secondary 115.00 ac volts single component single primary 32.00 ac volts single component 2nd secondary and 54.00 ac volts single component 2nd secondary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

11 solder stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0