NSN 5950-00-494-4668

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-494-4668

Reliability Indicator: Not established **Overall Length: 4.239 inches** Center To Center Distance Between Mounting Facilities Parallel To Length: 3.717 inches 1st mounting facility single center group **Center To Center Distance Between Mounting Facilities Parallel To Width:** 2.371 inches 1st mounting facility single center group **Overall Height:** 3.717 inches **Overall Width:** 3.721 inches **Mounting Hole Diameter:** 0.232 inches 1st group Frequency Rating: 320.0 hertz single component and 470.0 hertz single component Input-output Phase Relationship: Three phase to six phase single component **Transformer Winding Connection Type:** Delta-wye **Distance Between Mounting Facility Centers:** 2.371 inches 2nd mounting facility single center group **Inclosure Type:** Fully enclosed **Mounting Facility Quantity:** 4 1st group2 2nd group4 1st group **Mounting Method:** Unthreaded hole 1st groupthreaded hole 2nd groupunthreaded hole 1st group **Winding Function And Quantity:** 1 primary single component and 1 secondary single component **Thread Size:** 0.164 inches 2nd group **Winding Operating Current:** 4.89 amperes ac single component single secondary **Winding Operating Voltage:** 8.95 ac volts single component single secondary200.00 ac volts single component single primary **Thread Series Designator:** Unc 2nd group **Terminal Type And Quantity:** 10 threaded stud Shelf Life:

N/a

NSN 5950-00-494-4668

Power Transformer - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A058b0