NSN 5950-00-501-0462

Radio Frequency Coil - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-501-0462

View Onli	ine at https://aerobasegroup.com/nsn/5950-00-501-0462
Reliabilit	y Indicator:
Not estab	lished
Inductan	ce Rating:
6.80 millih	nenries single component single winding
Coil Forn	n Type:
Solid sing	gle component
Core Cor	nstruction:
S0lid sing	gle component
Body Ler	ngth:
Between	0.730 inches and 0.750 inches
Overall D	Diameter:
Between	0.230 inches and 0.250 inches
Maximun	n Operating Temp:
105.0 deg	grees celsius
Inclosure	е Туре:
Fully encl	losed
Mounting	g Method:
Terminal	single group
Rating M	lethod:
Electrical	single component single winding
Features	Provided:
Tinned wi	ire leads
Winding	Conductor Size:
0.03196 ii	nches american wire gage single component single winding
Winding	Operating Current:
52.0 millia	amperes dc single component single winding
Dc Resis	tance Rating In Ohms:
59.000 sir	ngle component single winding
Quality F	actor:
80 single	e component single winding
Test Data	a Document:
81349-mi	I-c-15305 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; e	xcludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environm	ental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal	Type And Quantity:
2 wire lea	ld
Specifica	ation Data:
96906-ms	s90541 government standard
Shelf Life	e:
N/a	
Unit Of N	leasure:
Demilitar	ization:
No	

NSN 5950-00-501-0462

Radio Frequency Coil - Page 2 of 2

Fiig: A058b0

