## NSN 5950-00-501-4650

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-501-4650

## **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

3.000 inches single mounting facility single center group

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

2.438 inches single mounting facility single center group

#### **Inductance Type:**

Fixed

#### **Inductance Rating:**

4.40 henry single component single winding

#### Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

#### **Body Length:**

Between 3.812 inches and 3.938 inches

#### **Body Width:**

Between 3.250 inches and 3.375 inches

#### **Body Height:**

Between 4.125 inches and 4.312 inches

## **Maximum Operating Temp:**

105.0 degrees celsius

## **Winding Quantity:**

1 single component

#### **Inclosure Type:**

Hermetically sealed

## **Mounting Facility Quantity:**

4 single group

## **Mounting Method:**

Threaded stud single group

#### **Rating Method:**

Electrical single component single winding

## Thready Qty Per Inch (tpi):

24 single group

## Thread Size:

0.190 inches single group

#### **Winding Operating Current:**

7.2 amperes dc single component single winding

## Dc Resistance Rating In Ohms:

0.090 single component single winding

#### **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

2 tab, solder lug

# NSN 5950-00-501-4650

Reactor - Page 2 of 2



_				
c	hο	JIF.		ife:
J			_	HG.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0