## NSN 5950-00-501-9448

Power Transformer - Page 1 of 1



| View Online at https://aerobasegroup.com/nsn/5950-00-501-9448             |
|---|
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 1.781 inches single mounting facility single center group                 |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 1.734 inches single mounting facility single center group                 |
| Overall Width:  |
| 2.529 inches  |
| Frequency Rating:   |
| 400.0 hertz single component  |
| Input-output Phase Relationship:  |
| Three phase to three phase single component                               |
| Winding Shielding Method:   |
| Internal shield grounded to inclosure single component                    |
| Body Length:  |
| 3.000 inches  |
| Body Width:   |
| 2.344 inches  |
| Body Height:  |
| 1.280 inches  |
| Inclosure Type:   |
| Fully enclosed  |
| Mounting Facility Quantity:   |
| 4 single group  |
| Mounting Method:  |
| Threaded hole single group  |
| Winding Function And Quantity:  |
| 1 primary single component and 6 secondary single component               |
| Thready Qty Per Inch (tpi):   |
| 32 single group   |
| Thread Size:  |
| 0.138 inches single group   |
| Thread Series Designator:   |
| Unc single group  |
| Terminal Type And Quantity:   |
| 22 solder stud  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |

No

Fiig:

A058b0

Demilitarization: