## NSN 5950-00-504-8788

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-504-8788
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.406 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.938 inches single mounting facility single center group
Frequency Rating:
320.0 hertz single component and 1.76 kilohertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure and core single component
Body Length:
2.250 inches
Body Width:
2.000 inches
Body Height:
2.375 inches
Inclosure Type:
Open
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Winding Function And Quantity:
1 primary single component and 2 secondary single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.164 inches single group
Winding Operating Current:
3.2 amperes ac single component 2nd secondary
Winding Operating Voltage:
6.30 ac pounds per hour wet single component all secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
7 tab, solder lug
Shelf Life:
N/a

--

**Unit Of Measure:** 

## NSN 5950-00-504-8788

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0