## NSN 5950-00-506-6335

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-506-6335

Reliability Indicator:					
Not established					
Center To Center Distance Between Mounting Facilities Parallel To Length:					
2.300 inches single mounting facility single center group and 2.320 inches single mounting facility single center group					
Center To Center Distance Between Mounting Facilities Parallel To Width:					
1.550 inches single mounting facility single center group and 1.570 inches single mounting facility single center group					
Frequency Rating:					
400.0 hertz single component					
Input-output Phase Relationship:					
Three phase to three phase single component					
Transformer Winding Connection Type:					
Wye-delta					
Body Length:					
2.770 inches					
Body Width:					
2.150 inches					
Body Height:					
1.600 inches					
Maximum Operating Temp:					
130.0 degrees celsius					
Inclosure Type:					
Fully enclosed					
Mounting Facility Quantity:					
4 single group					
Mounting Method:					
Threaded hole single group					
Winding Function And Quantity:					
1 primary single component and 1 secondary single component					

#### **Thread Size:**

0.138 inches single group

### Winding Operating Current:

3.5 amperes dc single component single secondary

#### **Winding Power Rating:**

131.2 volts-amperes single component single secondary

#### **Winding Operating Voltage:**

115.00 ac volts single component single primary and 37.50 dc volts single component single secondary199.00 ac volts single component single primary

#### **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

7 tab, solder lug

#### Shelf Life:

N/a

# **NSN 5950-00-506-6335**Power Transformer - Page 2 of 2



		• •			
ш	ın	10	<i>(</i> )+	Measure:	

Demilitarization:

No

Fiig:

A058b0