## NSN 5950-00-508-1874

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-508-1874

Reliability	Indicator:
-------------	------------

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:** 

2.625 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:** 

2.125 inches single mounting facility single center group

**Inductance Type:** 

Fixed

**Inductance Rating:** 

10.00 henry single component single winding

Frequency Rating:

60.0 hertz single component

**Body Length:** 

3.562 inches

**Body Width:** 

3.062 inches

**Body Height:** 

4.875 inches

**Maximum Operating Temp:** 

105.0 degrees celsius

**Winding Quantity:** 

1 single component

Inclosure Type:

Hermetically sealed

**Mounting Facility Quantity:** 

4 single group

**Mounting Method:** 

Threaded stud single group

Thready Qty Per Inch (tpi):

32 single group

**Thread Size:** 

0.164 inches single group

**Winding Operating Current:** 

180.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

150.000 single component single winding

**Thread Series Designator:** 

Unc single group

**Terminal Type And Quantity:** 

2 tab, solder lug

Shelf Life:

N/a

## NSN 5950-00-508-1874

Reactor - Page 2 of 2



ı	1	n	iŧ	<b>1</b>	: N/	lea			_	
ı	u	n	IT	OI	١V	ıea	เรเ	JI	е	:

--

Demilitarization:

No

Fiig:

A058b0