

View Online at <https://aerobasegroup.com/nsn/5950-00-511-8675>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

11.500 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

5.000 inches single mounting facility single center group

Mounting Hole Diameter:

0.313 inches single group

Inductance Type:

Swinging

Inductance Rating:

20.00 henry single component single winding and 25.00 henry single component single winding

Body Length:

10.500 inches

Body Width:

7.000 inches

Body Height:

8.000 inches

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Operating Current:

30.0 milliamperes dc single component single winding and 830.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

29.000 single component single winding

Test Data Document:

96253-2772 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

2 standoff, threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0