# NSN 5950-00-518-2938

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-518-2938

### Reliability Indicator: Not established

### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.125 inches single mounting facility single center group

### Center To Center Distance Between Mounting Facilities Parallel To Width:

1.812 inches single mounting facility single center group

#### **Frequency Rating:**

60.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

2.844 inches

Body Width:

2.453 inches

Body Height:

3.312 inches

#### Maximum Operating Temp:

105.0 degrees celsius

Inclosure Type:

Fully enclosed

#### **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded hole single group

### Winding Function And Quantity:

1 primary single component and 1 secondary single component

#### Thread Size:

0.138 inches single group

### Winding Operating Current:

13.6 milliamperes ac single component single secondary

#### Winding Operating Voltage:

115.00 ac volts single component single primary72.70 ac volts single component single secondary115.00 ac volts single component single

primary

#### **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

4 standoff, solder lug

#### Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

# NSN 5950-00-518-2938

Power Transformer - Page 2 of 2

**Fiig:** A058b0

