NSN 5950-00-518-4099

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-518-4099

_									
D	ام	ia	hi	liŧ√.	, In	di	00	tor:	ı
ı	CI	ıa	vi	IILV		ıuı	uа	LUI.	

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.844 inches single mounting facility single center group and 1.875 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.281 inches single mounting facility single center group and 2.312 inches single mounting facility single center group

Overall Height:

4.650 inches

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-wye

Body Length:

3.060 inches

Body Width:

2.620 inches

Body Height:

4.250 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.164 inches single group

Winding Operating Current:

143.0 milliamperes ac single component single secondary

Winding Power Rating:

6.0 volts-amperes single component single primary

Winding Operating Voltage:

550.00 ac volts single component single primary

Special Features:

Secondary neutral wye connection brought out to terminal, potential to any secondary leg is 14.0 volts

Thread Series Designator:

Unc single group

NSN 5950-00-518-4099

Power Transformer - Page 2 of 2



Terminal Type And Quantity:
7 turret
Reference Number Differentiating Characteristics:
Material will be in accordance with ships parts control center activity hx quality control, manufacturing and testing specifications
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A058b0