NSN 5950-00-519-9001

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-519-9001

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.625 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.750 inches single mounting facility single center group

Overall Height:

5.938 inches

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

4.250 inches

Body Width:

3.750 inches

Body Height:

5.500 inches

Maximum Operating Temp:

57.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.190 inches single group

Winding Operating Current:

8.0 milliamperes ac single component 2nd secondary

Winding Operating Voltage:

8.80 ac kilovolts single component 2nd secondary1.25 ac volts single component 1st secondary

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

4 tab, solder lug and 2 clip

NSN 5950-00-519-9001

Power Transformer - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0